

PRODUCT-DETAILS

K656SR-J2270-SG3

15/25KV 600A DB TP STR REC J2270SG3



General Information

Extended Product Type	K656SR-J2270-SG3
Product ID	7TAA122600R0192
EAN	0075114396684
Catalog Description	15/25KV 600A DB TP STR REC J2270SG3
Long Description	15/25kV, 600 Amp, Deadbreak Elbow without Test Point. Cable Insulation Diameter Range 0.980 to 1.180 inch, Conductor Size Compressed/Stranded 4/0 or Compact/Solid 250 kcmil. Copper Lug. Sealing Kit - Cold-Shrinkable Seal with Copper Braid and Constant Force Spring.

Ordering

EAN	0075114396684
UPC	075114396684
Country of Origin	United States (US)
Customs Tariff Number	8535908020
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	1 in 25 mm
Package Level 1 Height	1 in 25 mm

Package Level 1 Depth /
Length

1 in
25 mm

Additional Information

Application	15/25kV, 600 Amps
Brand / Label	Elastimold
Color	Black
Connection Type	Compression
Current Rating	600 A
Effective Date	20190225
Includes	1 Straight Receptacle Housing, 1 Compression Lug, 1 Stud, 1 Insulated Plug with Cap, 3 Tubes Lubricant, 1 Straight Receptacle adapter, 1 Cable adapter, 1 Adapter Retaining Ring, 1 Hardware Prepack, Crimp Chart, Installation Instruction Sheets
Insulation Material	Yes EPDM Rubber
Material	Housing - EPDM Rubber
Number of Batteries	0
Product Name	ELECTRICAL CONNECTOR>1000V
Product Type	Deadbreak Straight Receptacle with Test Point and Sealing Kit
Size	Diameter 4.19 inch x Length 16.98 inch
Special Functions	Fully shielded, fully submersible molded rubber housing. 100 Percent peroxide-cured construction includes insulation and conductive EPDM materials. Can be easily connected or disconnected using standard hand tools and equipment in a de-energized state. Optional accessories allow visible external separation, by-pass, isolation, dead-ending, grounding, and testing as well as adding taps.
Standards	ANSI/IEEE Standard 386
Temperature Range	-40 to +65 °C
Voltage Rating	15 to 25 kV

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	K656SR-J2270-SG3
Instructions and Manuals	K656SR-J2270-SG3

Classifications

UNSPSC	39121421
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Cable Accessories

