

PRODUCT-DETAILS

CSS-100

CABLE TIE 10X0.5IN BLK ACETAL 250LB



General Information

Extended Product Type	CSS-100
Product ID	7TAA159110R0000
EAN	5414363149835
Catalog Description	CABLE TIE 10X0.5IN BLK ACETAL 250LB
Long Description	Deltec Cable Tie with Double-Locking Head, Black Acetal for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant, Length of 254mm (10 Inches), Width of 12.7mm (0.5 Inch), Thickness of 1.52mm (0.06 Inch), Tensile Strength Rating of 1112 Newtons (250 Pounds)

Ordering

EAN	5414363149835
UPC	786210167404
Country of Origin	United States (US)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Dimensions

Product Net Width	0.5 in 12.7 mm
Product Net Depth / Length	10 in 254 mm

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	2.5 in 64 mm
Package Level 1 Height	10 in 254 mm
Package Level 1 Depth / Length	18 in 457 mm
Package Level 2 Units	1000 piece
Package Level 2 Width	13.5 in 343 mm
Package Level 2 Height	14.4 in 366 mm
Package Level 2 Depth / Length	19.7 in 500 mm

Technical UL/CSA

Flammability According to UL94	HB
--------------------------------	----

Additional Information

Application	Ideal solution for bundling in harsh outdoor environments.
Brand / Label	Deltec
Color	Black
Effective Date	19940803
Lock Type	Double Locking Head
Material	Weather Resistant Acetal
Number of Batteries	0
Product Name	PLASTIC HOLDER
Product Type	General Purpose
Special Functions	Perfect for coaxial, fiber optic and all other communication and electrical conducting cables.
Tensile Strength	250 lb 1112 N
Thickness	0.06 in 1.52 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	CSS-100
Instructions and Manuals	CSS-100

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

