


PRODUCT-DETAILS

8218.2 BM

8218.2 BM Cover plate double data outlet



General Information

Extended Product Type	8218.2 BM
Product ID	2CLA821820A1001
EAN	8427238041506
Catalog Description	8218.2 BM Cover plate double data outlet
Long Description	For connectors and supports ref. 2017.2 2017.3, 2018, 2018.5, 2018.6 and 2018.8

Technical

Product Name	Cover plate double data outlet
Mounting Type	Flush mounted (plaster)
Type of Fastening	Mounting with Screw
Type of Indicator	With indication plate
Outlet Orientation	Straight
Surface Finishing	Untreated Glossy
Material	Duroplast Plastic
Color	Cream white (electro white)

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	0.09 m
Product Net Height	0.102 m
Product Net Depth / Length	0.245 m
Product Net Weight	0.044 kg

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	0.09 m
Package Level 1 Height	0.102 m
Package Level 1 Depth / Length	0.245 m
Package Level 1 Gross Weight	0.44 kg
Package Level 1 EAN	8427238041506

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85389099
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX820009A1001

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	2CLX820009A1001

Classifications

ETIM 6	EC000018 - Insert/cover for communication technology
ETIM 7	EC000018 - Insert/cover for communication technology
ETIM 8	EC000018 - Insert/cover for communication technology
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Arco → CoverPlates (partly incl. Insert) Arco → RJ45 Connector

Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector

