


PRODUCT-DETAILS

8408 AR

8408 AR Cover fuse holder



General Information

Extended Product Type	8408 AR
Product ID	2CLA840800A1701
EAN	8427238032412
Catalog Description	8408 AR Cover fuse holder
Long Description	Olas, 8408 AR ,Cover plate for fuse holder ref. 8108

Technical

Product Name	Cover fuse holder
Type of Fastening	Clamp
Surface Finishing	Decor Matt
Material	Metal
Model Number	Central cover plate
Color	Beige

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	0.093 m
Product Net Height	0.062 m
Product Net Depth / Length	0.139 m
Product Net Weight	0.06 kg

Container Information

Package Level 1 Units	box 5 piece
Package Level 1 Width	0.093 m
Package Level 1 Height	0.062 m
Package Level 1 Depth / Length	0.139 m
Package Level 1 Gross Weight	0.3 kg
Package Level 1 EAN	8427238032412

Ordering

Minimum Order Quantity	5 piece
Customs Tariff Number	85389099
Country of Origin	Spain (ES)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	2CLX840009A1001

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	2CLX840009A1001

Classifications

ETIM 6	EC000011 - Control element/cover plate for domestic switching devices
ETIM 7	EC000011 - Control element/cover plate for domestic switching devices
ETIM 8	EC000011 - Control element/cover plate for domestic switching devices
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Switch Assortments → Cable Outlets, Blank Plates and Accessories → Cable Outlet / Blank Plate / Adapter Ring → Cable Outlet / Blank Plate / Adapter Ring - Flush Mounted → Cable Outlet / Blank Plate / Adapter Ring

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Niessen → Design Olas → CoverPlates (partly incl. Insert) → Cable Outlet / Blank Plate / Adapter Ring

